



[Redacted text block]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

Director of News and Media Relations
Wichita State University
joe.kleinsasser@wichita.edu

Re: Freedom of Information Act Request

Dear Joe Kleinsasser:

Pursuant to the Kan. Stat. Ann. Secs. 45-215 to 45-250, I would like to obtain an electronic or print copy of the following public records:

The CLA Plus institutional report and the de-identified student data file which accompanies it. Please include any materials connected to the CLA Plus administered during the 2013-14, 2014-15 and/or 2015-16 academic years.

In order to help to determine my status to assess fees, you should know that I am

a representative with The Wall Street Journal newspaper and this request is made as part of news gathering and not for a commercial use.

If there is a copying fee, please inform me of that cost prior to making the copy. I can be reached at [312 750-4036](tel:3127504036).

As provided by the open records law, I will expect your response within three (3) business days. If access to the records I requested is going to take longer, please contact me so we can work out a reasonable date.

If you choose to deny the request, then you are required to respond in writing and state the statutory exception authorizing the withholding of all or part of the public record and the name and title or position of the person responsible for the denial.

Thank you for your assistance on this matter.

Respectfully,
Douglas Belkin
1 S. Wacker Dr. 17th Floor
Chicago, IL 60202

--

Douglas Belkin
Higher Education Reporter
The Wall Street Journal

O. [\(312\) 750-4036](tel:3127504036)

C. [\(312\) 480-7429](tel:3124807429)

1 S. Wacker Dr.
17th floor
Chicago, IL 60606

Twitter: @doughbelkin

--

Douglas Belkin
Higher Education Reporter
The Wall Street Journal

O. (312) 750-4036

C. (312) 480-7429

1 S. Wacker Dr.
17th floor
Chicago, IL 60606

Twitter: @doughelkin